

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1	(swaminathan near2 sivaprasath).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:36
2	BRS	L2	0	("71114066").URPN.	USPAT	2007/09/24 09:37
3	BRS	L3	6	("6317798").URPN.	USPAT	2007/09/24 09:39
4	BRS	L4	2	(1 2 3) and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:39
5	IS&R	L5	1	("71114066").PN.	USPAT	2007/09/24 09:44
6	BRS	L6	29	((console with redirection) and (configuring configure configured configuration) and (compatible compatibility compatibly incompatible incompatibility incompatibly) and (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:45
7	BRS	L7	0	((console with redirection) with (configuring configure configured configuration)) and ((valid validate validating validated validation) with (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:45
8	BRS	L8	0	((headless) with (configuring configure configured configuration)) and ((valid validate validating validated validation) with (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:46
9	BRS	L9	5	((headless) with (configuring configure configured configuration)) and ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:46
10	BRS	L10	3	((console with redirection) with (configuring configure configured configuration)) and ((console with redirection) with (enable enabling enabled enablement disable disabled disabling disablement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:46
11	BRS	L11	1	((console with redirection) with (configuring configure configured configuration)) and ((console with redirection) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:47
12	BRS	L12	19	((console with redirection) with (configuring configure configured configuration)) and ((port channel) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:47

10/795, 845

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	0	((headless) with (configuring configure configured configuration)) and ((console with redirection) with (enable enabling enabled enablement disable disabled disabling disablement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:48
14	BRS	L14	12	((headless) with (configuring configure configured configuration)) and ((headless) with (enable enabling enabled enablement disable disabled disabling disablement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:48
15	BRS	L15	0	((console with redirection) with (configuring configure configured configuration)) and ((headless) with (enable enabling enabled enablement disable disabled disabling disablement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:48
16	BRS	L16	0	((headless) with (configuring configure configured configuration)) and ((console with redirection) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:49
17	BRS	L17	0	((console with redirection)) with (configuring configure configured configuration)) and ((headless) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:49
18	BRS	L18	35	((headless) with (configuring configure configured configuration)) and ((headless) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:49
19	BRS	L19	0	((headless) with (configuring configure configured configuration)) and ((port channel) with (disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:49
20	BRS	L20	103	((headless) with (configuring configure configured configuration)) and ((port channel) with (connect connected connecting connection disconnect disconnected disconnecting disconnection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:49
21	BRS	L21	5	((configuring configure configured configuration) and ((compatible compatibility compatibly incompatible incompatibility incompatibly) with (enable enabled enabling enablement disable disabled disabling disablement disconnect disconnected disconnecting disconnection) with (UART non-UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:50

22	BRS	L22	0	(detect detecting dectected detection) with (incompatible incompatability incompatibly) with (UART non-UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:51
----	-----	-----	---	--	--	---------------------

	Type	L #	Hits	Search Text	DBs	Time Stamp
23	BRS	L23	18	((detect detecting dectected detection) with (incompatible incompatibility incompatibly)) same (disable disabled disabling disablement disconnect disconnection disconnected disconnecting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 09:51
24	BRS	L24	8	(6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23) and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:01
25	BRS	L25	21	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:00
26	BRS	L26	2	25 and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:01
27	BRS	L27	127	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) ) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04
28	BRS	L28	108	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04
29	IS&R	L29	4759	(713/1,2,100).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04
30	IS&R	L30	4806	(710/8,10,15,16,18,19,104,106).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04
31	IS&R	L31	21635	(709/201,203,217-222).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04
32	IS&R	L32	1556	(703/23-25,27).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04
33	IS&R	L33	5047	(375/219-222).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04

	Type	L #	Hits	Search Text	DBs	Time Stamp
34	IS&R	L34	1919	(455/557).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04
35	IS&R	L35	1015	(370/278,282).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04
36	BRS	L36	39059	L29 L30 L31 L32 L33 L34 L35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04
37	BRS	L37	14	(L27 L28) and L36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:04
38	BRS	L39	0	L37 and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:05
39	BRS	L40	20	L28 and (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:06
40	BRS	L41	2	L40 and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:07
41	BRS	L42	1682	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) and (error crash crashing crashed fail failed failing failure) and (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:08
42	BRS	L43	174	L36 and L42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:08
43	BRS	L44	4	L43 and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:08
44	BRS	L45	3578	(compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:13
45	BRS	L46	266	L36 and L45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:13

	Type	L #	Hits	Search Text	DBs	Time Stamp
46	BRS	L47	7	L46 and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:13
47	BRS	L48	5	("6560660").URPN.	USPAT	2007/09/24 10:15
48	BRS	L49	0	L48 and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:15
49	BRS	L50	170	((compatible compatibility compatibly) with (incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly) with (port channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:16
50	BRS	L51	8	L50 and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:17
51	BRS	L52	7	non-UART and (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:19
52	BRS	L53	0	L52 and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:19
53	BRS	L54	0	non-UART with (mouse keyboard loopback) with connection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:19
54	BRS	L55	0	(non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART with (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:20
55	BRS	L56	1	(non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART same (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:21
56	BRS	L57	51	(non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:21

	Type	L #	Hits	Search Text	DBs	Time Stamp
57	BRS	L58	51	(non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:21
58	BRS	L59	6	L58 and (UART with (register buffer (line near2 status) DTR))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:21
59	BRS	L60	89	(non-UART mouse keyboard loopback) with (connection connecting connected connect) with UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:21
60	BRS	L61	2	(L56 L57 L58 L59 L60) and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:21
61	BRS	L62	17	non-UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:22
62	BRS	L63	1706	(UART with (register buffer (line near2 status) DTR))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:22
63	BRS	L64	1370	(UART with (register buffer (line near2 status) DTR)) and (error conflict conflicting conflicted crash crashing crashed fail failure failing failed incompatible incompatibility incompatibly non-compatible non-compatibility non-compatibly non-compliant ("not" near5 (complied complying comply configured configuring configuration configure)) improper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:22
64	BRS	L65	43	(L62 L63 L64) and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:28
65	BRS	L66	10	65 and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:35
66	BRS	L67	33	65 not 66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:35

	Type	L #	Hits	Search Text	DBs	Time Stamp
67	BRS	L68	3	(UART with (register buffer (line near2 status) DTR)) with (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:47
68	BRS	L69	39	(modem with (register buffer (line near2 status) DTR)) with (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:47
69	BRS	L70	2	(L68 L69) and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:47
70	BRS	L71	75	(incompatible incompatibility incompatibly non-compatible non-compatibility non-compliant ("not" near5 (complied complying comply))) with (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:49
71	BRS	L72	4	L71 and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:49
72	BRS	L73	2	(port near3 (sharing share shared)) with (incompatible incompatibility incompatibly non-compatible non-compatibility non-compliantly non-compliant ("not" near5 (complied complying comply)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:51
73	BRS	L74	5	(port near3 (sharing share shared)) same (incompatible incompatibility incompatibly non-compatible non-compatibility non-compliantly non-compliant ("not" near5 (complied complying comply)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:51
74	BRS	L75	37	(UART with (register buffer (line near2 status) DTR)) same (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:51
75	BRS	L76	175	(incompatible incompatibility incompatibly non-compatible non-compatibility non-compliant ("not" near5 (complied complying comply))) same (((console serial) near5 redirection) (remote near5 (management administration communication)) (management near5 console))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:51



	Type	L #	Hits	Search Text	DBs	Time Stamp
76	BRS	L77	15	(L73 L74 L75 L76) and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:51
77	BRS	L78	2	77 and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:53
78	BRS	L79	13	77 not 78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:53
79	BRS	L80	3578	(compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device incompatibility incompatibly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:55
80	BRS	L81	1682	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) and (error crash crashing crashed fail failed failing failure) and (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:55
81	BRS	L82	266	(L80 L81) and L36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:55
82	BRS	L83	7	L82 and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:56
83	BRS	L84	108	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:58
84	BRS	L85	21	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) with device) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:58
85	BRS	L86	127	((compatible compatibility compatibly incompatible incompatibility incompatibly) with (port channel) ) same (error crash crashing crashed fail failed failing failure) same (configure configuration configured configuring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 10:58

86	BRS	L87	14	(L84 L85 L86) and @pd>"20070418"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 11:00
----	-----	-----	----	----------------------------------	--	---------------------

	Type	L #	Hits	Search Text	DBs	Time Stamp
87	IS&R	L88	1	("6560660").PN.	USPAT	2007/09/24 11:00
88	BRS	L89	5	("6560660").UREN.	USPAT	2007/09/24 11:00
89	BRS	L90	6	("20020016868"   "6240472"   "6279054"   "6493771"   "6523073"   "6560660").PN.	US-PGPUB; USPAT; USOCR	2007/09/24 11:03
90	BRS	L91	7	("20030154233"   "5790895"   "6073183"   "6134608"   "6279054"   "6298370"   "6560660").PN.	US-PGPUB; USPAT; USOCR	2007/09/24 11:04
91	BRS	L92	0	("6886163").UREN.	USPAT	2007/09/24 11:05
92	BRS	L93	1	("6779047").UREN.	USPAT	2007/09/24 11:05

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1037	(incompatible compatible incompatibility compatibility) same (during near3 (POST BIOS initialization initialize initialized initializing configuration configure configuring configured))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 11:20
2	BRS	L2	15	(remote with (console redirection)) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 11:12
3	BRS	L3	127	(incompatible incompatibility) same (during near3 (POST BIOS initialization initialize initialized initializing configuration configure configuring configured))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 11:21
4	BRS	L4	124	3 not 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 11:21
5	BRS	L6	0	5 and UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 11:21
6	BRS	L5	93	4 and @ad<"20040309"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 11:50
7	BRS	L7	31	4 not 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/09/24 12:06